

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Boge 3000 plus

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Compressor and vacuum pump oil

Uses advised against

This product must not be used for applications other than those recommended in Section 1 without first consulting the supplier.

1.3. Details of the supplier of the safety data sheet

Company name:	BOGE KOMPRESSOREN	
	Otto Boge GmbH & Co. KG	
Street:	Otto-Boge-Straße 1-7	
Place:	33739 Bielefeld	
Telephone:	+49 5206 601-0	Telefax: +49 5206 601-200
E-mail:	info@boge.com	
Internet:	www.boge.com	

1.4. Emergency telephone number:

Emergency telephone number (24h) +1 872 5888271 (JRR) (en)

Further Information

Reserved for industrial and professional use.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

PBT; EUH440

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**

(4-Nonylphenoxy)acetic acid May produce an allergic reaction.; O,O,O-triphenylphosphorothioate

Hazard statements

EUH440 Accumulates in the environment and living organisms including in humans.

Precautionary statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P273	Avoid release to the environment.
P391	Collect spillage.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 2 of 13

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII:
O,O,O-triphenylphosphorothioate.

The mixture contains ≥ 0.1 % substances meeting the PBT criteria according to Regulation (EC) No 1907/2006, Annex XIII. See SECTION 3 in this safety data sheet.

The mixture does not contain substances ≥ 0.1 % of substances that have endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

Signs and symptoms of oil acne/folliculitis may include the development of blackheads and pimples in the exposed areas of the skin. Ingestion may cause nausea, vomiting and/or diarrhea.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

The highly refined mineral oil contains $<3\%$ (w/w) DMSOextract, according to IP346.

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
	Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)			86-90 %
	Asp. Tox. 1; H304 EUH066			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene			0 - 2,9 %
	270-128-1		01-2119491299-23	
	Repr. 2, Aquatic Chronic 3; H361f H412			
597-82-0	O,O,O-triphenylphosphorothioate			0,25 - 0,99 %
	209-909-9		01-2119979545-21	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			
3115-49-9	(4-Nonylphenoxy)acetic acid			0,01-0,09 %
	221-486-2		01-2119982392-31	
	Acute Tox. 4, Skin Corr. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H317 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
		Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	86-90 %
		inhalation: Data lacking (gases); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
68411-46-1	270-128-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	0 - 2,9 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
597-82-0	209-909-9	O,O,O-triphenylphosphorothioate	0,25 - 0,99 %
		dermal: LD50 = 2000 mg/kg; oral: LD50 = 10000 mg/kg Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=10	
3115-49-9	221-486-2	(4-Nonylphenoxy)acetic acid	0,01-0,09 %
		oral: LD50 = 1554-1790 mg/kg Aquatic Acute 1; H400: M=1	

Further Information

The highly refined mineral oil contains $<3\%$ (w/w) DMSOextract, according to IP346. Contains:

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 3 of 13

64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29),
64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119486452-34),
72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119487078-27),
848301-69-9 (01-0000020163-82), 68649-12-7 (01-2119527646-33), 151006-60-9 (01-2119523580-47),
163149-28-8 (01-2119543695-30), 64741-88-4 (01-2119488706-23), 64741-89-5 (01-2119487067-30),
157707-86-3 (01-2119486452-34)

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps. First aider: Pay attention to self-protection!

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Signs and symptoms of oil acne/folliculitis may include the development of blackheads and pimples in the exposed areas of the skin. Ingestion may cause nausea, vomiting and/or diarrhea.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.
Water fog. Extinguishing powder. Carbon dioxide. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products may include: Complex mixture of solid and liquid particles and gases, including Carbon monoxide may be released in case of incomplete combustion. Unidentified organic and inorganic compounds.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation. Avoid contact with skin and eyes.

For non-emergency personnel

Special danger of slipping by leaking/spilling product.

For emergency responders

Self-protection of the first aider Remove affected person from the danger area and lay down. Do not leave affected person unattended. Remove all sources of ignition. Use appropriate respiratory protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 4 of 13

barriers). Treat the recovered material as prescribed in the section on waste disposal.
Collect in closed containers for disposal.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Clean contaminated articles and floor according to the environmental legislation.
Clean with detergents. Avoid solvent cleaners.

Other information

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.4. Reference to other sections

See protective measures under point 7 and 8.
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid oil mist
Use only in well-ventilated areas.
When using do not eat, drink or smoke.

Advice on general occupational hygiene

Avoid breathing vapours.
Avoid breathing spray.
Avoid contact with skin and eyes.

Further information on handling

Do not breathe mist/vapours/spray.
Chemical resistant safety shoes. High slip hazard because of leaking or spilled product. Do not put any product-impregnated cleaning rags into your trouser pockets.
High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Store only in original container.
Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.
Reserved for industrial and professional use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
-	Mineral Oil pure, highly & severely refined (Inhalable)	-	5		TWA (8 h)	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 5 of 13

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
	Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)			
,				
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene			
Worker DNEL, long-term		inhalation	systemic	0,31 mg/m³
Worker DNEL, long-term		dermal	systemic	0,44 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,14 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,04 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,04 mg/kg bw/day
597-82-0	O,O,O-triphenylphosphorothioate			
Worker DNEL, long-term		inhalation	systemic	1,39 mg/m³
Worker DNEL, long-term		dermal	systemic	0,4 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,34 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,2 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,2 mg/kg bw/day
3115-49-9	(4-Nonylphenoxy)acetic acid			
Worker DNEL, long-term		inhalation	systemic	1,76 mg/m³
Worker DNEL, acute		inhalation	systemic	17,6 mg/m³
Worker DNEL, long-term		dermal	systemic	0,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,43 mg/m³
Consumer DNEL, acute		inhalation	systemic	4,3 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,25 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,25 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 6 of 13

PNEC values

CAS No	Substance	
Environmental compartment		Value
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	
Freshwater		0,034 mg/l
Marine water		0,00338 mg/l
Freshwater sediment		0,446 mg/kg
Marine sediment		0,0446 mg/kg
Microorganisms in sewage treatment plants (STP)		10 mg/l
Soil		1,76 mg/kg
597-82-0	O,O,O-triphenylphosphorothioate	
Microorganisms in sewage treatment plants (STP)		10 mg/l
Soil		2,37 mg/kg
3115-49-9	(4-Nonylphenoxy)acetic acid	
Freshwater		0,000880 mg/l
Marine water		0,000088 mg/l
Freshwater sediment		0,02 mg/kg
Marine sediment		0,002 mg/kg
Soil		0,0035 mg/kg

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

EN 166

Hand protection

Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. Protect skin by using skin protective cream. Wash hands before breaks and after work.

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.
Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 7 of 13

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	light brown	
Odour:	characteristic	
Boiling point or initial boiling point and boiling range:	> 280 °C	Test method estimated
Lower explosion limits:	1 vol. %	
Upper explosion limits:	10 vol. %	
Flash point:	230 °C	ISO 2592
Auto-ignition temperature:	>320 °C	
pH-Value:	not applicable	
Viscosity / kinematic: (at 40 °C)	46 mm²/s	DIN EN ISO 3104
Partition coefficient n-octanol/water:	> 6	
Vapour pressure:	< 0,5 hPa	
Density (at 15 °C):	0,868 g/cm³	EN ISO 12185
Relative vapour density:	>1	

9.2. Other information**Other safety characteristics**

Pour point: -30 °C ISO 3016

Further Information

No further relevant information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No known hazardous reactions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Reacts with : Oxidizing agents, strong.

10.4. Conditions to avoid

Protect against: heat.

Protect from direct sunlight.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix tested

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 8 of 13

	Dose	Species	Source
LD50, oral	> 5000 mg/kg	Rat	
LD50, dermal	> 5000 mg/kg	Rabbit	

ATEmix calculated

ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)				
	oral	LD50 >2000 mg/kg	RAT		
	dermal	LD50 >2000 mg/kg	RABBIT		
	inhalation	Data lacking			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene				
	oral	LD50 > 5000 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 > 2000 mg/kg	Rat	ECHA	
597-82-0	O,O,O-triphenylphosphorothioate				
	oral	LD50 10000 mg/kg	Rat	ECHA	
	dermal	LD50 2000 mg/kg	Rat	ECHA	
3115-49-9	(4-Nonylphenoxy)acetic acid				
	oral	LD50 1554-1790 mg/kg	Rat	ECHA	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

(4-Nonylphenoxy)essigsäure: May cause an allergic skin reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

11.2. Information on other hazards

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 9 of 13

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

Additional ecotoxicological information The statement is derived from the properties of the components.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Danio rerio	OECD 203	
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 51 mg/l	48 h	Daphnia magna	OECD 202	
	Algae toxicity	NOEC 10-100 mg/l	3 d	Algae	OECD 201	
	Crustacea toxicity	NOEC 1,69 mg/l	21 d	Daphnia magna	OECD 211	
	Acute bacteria toxicity	EC50 > 100 mg/l ()		Bacteria	OECD 209	
597-82-0	O,O,O-triphenylphosphorothioate					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 >100 mg/l	72 h			
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna		
	Acute bacteria toxicity	EC50 > 100 mg/l ()	3 h	Activated sludge		

12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene			
	OECD 301 B	1%	28	
	Not easily bio-degradable (according to OECD-criteria).			
597-82-0	O,O,O-triphenylphosphorothioate			
	OECD TG 302 C	59,9-66,8	28	
3115-49-9	(4-Nonylphenoxy)acetic acid			
	OECD 301B	46%	28	
	nicht biologisch abbaubar			

12.3. Bioaccumulative potential

log Pow: > 6

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 10 of 13

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	> 6,66
597-82-0	O,O,O-triphenylphosphorothioate	5,0
3115-49-9	(4-Nonylphenoxy)acetic acid	5,8

BCF

CAS No	Chemical name	BCF	Species	Source
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	1730	Cyprinus carpio	MITI
597-82-0	O,O,O-triphenylphosphorothioate	2551		

12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII:
O,O,O-triphenylphosphorothioate.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: No dangerous good in sense of these transport regulations.

Other applicable information (land transport)

Not restricted

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: No dangerous good in sense of these transport regulations.

Other applicable information (inland waterways transport)

Not restricted

CDNI Abfallübereinkommen: NST 3411 Mineralschmieröle

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 11 of 13

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.

Other applicable information (marine transport)
Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.

Other applicable information (air transport)
Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Danger releasing substance: No dangerous good in sense of these transport regulations.

14.6. Special precautions for user

Section 7: Handling and Storage SECTION 8: Exposure controls/personal protection

14.7. Maritime transport in bulk according to IMO instruments

no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

O,O,O-triphenylphosphorothioate

Directive 2010/75/EU on industrial emissions: 0,0

Directive 2004/42/EC on VOC in paints and varnishes: 0,0

Additional information

REACH-List SVHC: O,O,O-Triphenylthiophosphat

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,7,8,10,11,12,15.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 12 of 13

Abbreviations and acronyms

Acute Tox. 4: Acute toxicity, hazard category 4
 Asp. Tox. 1: Aspiration hazard, hazard category 1
 Skin Corr. 1: Skin corrosion, hazard category 1
 Skin Sens. 1A: Skin sensitisation, hazard category 1A
 Repr. 2: Reproductive toxicity, hazard category 2
 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3
 PBT: Persistent, Bioaccumulative and Toxic properties
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
 intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH440	Accumulates in the environment and living organisms including in humans.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge 3000 plus

Revision: 16.04.2026

Product code: 5990-

Page 13 of 13

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

Abkürzungen und Akronyme siehe Verzeichnis unter <http://abk.esdscom.eu>

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)