according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : BOGE SYPREM SF

Article-No. : 050140

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Lubricating oil

stance/Mixture

Recommended restrictions : Restricted to professional users.

on use

1.3 Details of the supplier of the safety data sheet

Company : BOGE Kompressoren GmbH&Co.KG

Otto-BOGE-Str. 1-7

33739 Bielefeld - Germany Tel: +49 (0) 5206 601-0 Fax: +49 (0) 5206 601-200

info@boge.com

E-mail address of person : info@boge.com

responsible for the SDS Material Compliance Management

## 1.4 Emergency telephone number

Emergency telephone num- : +49 (0) 5206 601-0

ber

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil

ester oil

## Components

Chemical name	CAS-No.	Classification	specific concen-	Concentration
	EC-No.		tration limit	(% w/w)
			M-Factor	
	Index-No.		Notes	
	Registration number		Acute toxicity	
			estimate	
Benzenamine, N-	68411-46-1	Aquatic Chronic3;		>= 1 - < 2,5
phenyl-, reaction	270-128-1	H412		
products with 2,4,4-				
trimethylpentene	01-2119491299-23-			
	XXXX			

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

Substances with a workplace exposure limit :				
1-Dodecene, homo- polymer, hydrogenat- ed (Consisting of 50 wt % or more of spe-	604-769-9	Not classified		>= 70 - < 90
cies of the same M.Wt)	01-2119493071-43- XXXX			

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Remove contaminated clothing. If irritation develops, get med-

ical attention.

In case of contact, immediately flush skin with plenty of water.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Never give anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : Carbon oxides

ucts

Carbon oxides

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use personal protective equipment.

Ensure adequate ventilation.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

#### 6.4 Reference to other sections

For personal protection see section 8.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid inhalation of vapour or mist.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Do not ingest. Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 10, Combustible liquids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
1-Dodecene, ho- mopolymer, hydro- genated (Consist- ing of 50 wt % or more of species of the same M.Wt)	Not Assigned	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900 (2012-01-12)
	Peak-limit: excursion factor (category): 4;(II)			

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

Further information: When there is compliance with the OEL and biological

tolerance values, there is no risk of harming the unborn child

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2- Benzenedicarboxylic acid, di-C9-11- branched alkyl esters, C10-rich	Workers	Inhalation	Long-term systemic effects	5,29 mg/m3
	Workers	Dermal	Long-term systemic effects	41,67 mg/kg bw/day
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	Workers	Inhalation	Long-term systemic effects	0,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,08 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Fresh water	0,034 mg/l
	Marine water	0,003 mg/l
	Microbiological Activity in Sewage Treatment Systems	10 mg/l
	Fresh water sediment	0,446 mg/kg
	Marine sediment	0,045 mg/kg
	Soil	1,76 mg/kg

#### 8.2 Exposure controls

#### **Engineering measures**

none

#### Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**BOGE SYPREM SF** 

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

Odour : hydrocarbon-like

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point :  $>= 240 \, ^{\circ}\text{C}$ 

Method: ISO 2592, open cup

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

Viscosity

Viscosity, dynamic : No data available

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**BOGE SYPREM SF** 

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

Viscosity, kinematic : 46 mm2/s (40 °C)

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,854 (20 °C)

Reference substance: Water The value is calculated

Density : 0,85 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

#### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

#### **Components:**

## Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

# 1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the same M.Wt):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

#### Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

#### **Components:**

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

## 1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the

same M.Wt):

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

## Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

#### **Components:**

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

## 1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the

same M.Wt):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

## Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

#### **Components:**

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the same M.Wt):

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:** 

1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the same M.Wt):

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the same M.Wt):

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

: Remarks: No data available

#### Components:

1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the same M.Wt):

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

Reproductive toxicity - As-

sessment

: - Fertility -

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

## STOT - single exposure

#### **Components:**

1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the same M.Wt):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

## STOT - repeated exposure

#### **Components:**

1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the same M.Wt):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

#### Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

## **Aspiration toxicity**

#### **Product:**

This information is not available.

#### Components:

1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the same M.Wt):

No aspiration toxicity classification

## 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**BOGE SYPREM SF** 

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

**Further information** 

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

**SECTION 12: Ecological information** 

12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

**Components:** 

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the same M.Wt):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**BOGE SYPREM SF** 

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 125 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical removabil- :

ity

Remarks: No data available

**Components:** 

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 1 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

**Components:** 

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Partition coefficient: n-

octanol/water

log Pow: > 5

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the

same M.Wt):

Partition coefficient: n- : log Pow: 5 (25 °C)

octanol/water pH: 7

Method: OECD Test Guideline 107

12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### **Components:**

1-Dodecene, homopolymer, hydrogenated (Consisting of 50 wt % or more of species of the

same M.Wt):

Assessment : Non-classified vPvB substance. Non-classified PBT substance

## 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

## 12.7 Other adverse effects

Product:

Additional ecological infor-

mation

: Harmful to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**BOGE SYPREM SF** 

VersionRevision Date:Date of last issue: 29.04.2020Print Date:3.129.04.2022Date of first issue: 30.01.201829.04.2022

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : unused product

13 02 06\*, synthetic engine, gear and lubricating oils

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

## 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered:
 1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich (Number on list 52)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

: Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH-Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer (EC 1005/2009)

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

: Not applicable

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



Not applicable

Not applicable

## **BOGE SYPREM SF**

VersionRevision Date:Date of last issue: 29.04.2020Print Date:3.129.04.2022Date of first issue: 30.01.201829.04.2022

(EU POP)

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

ment and the Council concerning the export and import

of dangerous chemicals

(EU PIC)

Seveso III: Directive 2012/18/EU of the European :

Parliament and of the Council on the control of major-accident hazards involving dangerous sub-

stances.

Water hazard class (Germa-

ny)

WGK 2 obviously hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : Total dust:

Not applicable

Inorganic substances in powdered form:

Not applicable

Inorganic substances in vapour or gaseous form:

Not applicable
Organic Substances:
portion Class 1: < 0,01 %

others: 100 %

Carcinogenic substances:

Not applicable Mutagenic: Not applicable Toxic to reproduction:

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

#### 15.2 Chemical safety assessment

This information is not available.

## **SECTION 16: Other information**

**Full text of H-Statements** 

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 900 / AGW : Time Weighted Average

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

Version Revision Date: Date of last issue: 29.04.2020 Print Date: 3.1 29.04.2022 Date of first issue: 30.01.2018 29.04.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## **Further information**

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **BOGE SYPREM SF**

VersionRevision Date:Date of last issue: 29.04.2020Print Date:3.129.04.2022Date of first issue: 30.01.201829.04.2022