

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge Syprem SX Art. 599026

Revision date: 01.01.2023

Product code: 599026

Page 2 of 9

General information

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Remove contaminated, saturated clothing immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Seek medical advice.

After ingestion

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Carbon dioxide (CO₂).

Carbon monoxide

Nitrogen oxides (NO_x).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

See protective measures under point 7 and 8.

For non-emergency personnel

Take off immediately all contaminated clothing and wash it before reuse.

For emergency responders

The danger areas must be delimited and identified using relevant warning and safety signs. Move victim out of danger zone.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge Syprem SX Art. 599026

Revision date: 01.01.2023

Product code: 599026

Page 3 of 9

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid oil mist
Use only in well-ventilated areas.
When using do not eat, drink or smoke.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work.

Further information on handling

When using do not eat, drink or smoke.
High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

refer to chapter 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene		
Worker DNEL, long-term	inhalation	systemic	0,6 mg/m ³
Worker DNEL, long-term	dermal	systemic	0,08 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,14 mg/m ³
Consumer DNEL, long-term	dermal	systemic	0,04 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,04 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge Syprem SX Art. 599026

Revision date: 01.01.2023

Product code: 599026

Page 4 of 9

PNEC values

CAS No	Substance	
Environmental compartment		Value
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	
Freshwater		0,0338 mg/l
Marine water		0,00338 mg/l
Freshwater sediment		0,446 mg/kg
Marine sediment		0,0446 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		1,76 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear full chemical protective clothing. Chemical resistant safety shoes.
Take off immediately all contaminated clothing.
Thorough skin-cleansing after handling the product.
Set out skin protection guidelines.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Remove all sources of ignition.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light yellow

Melting point/freezing point:	not applicable
Boiling point or initial boiling point and boiling range:	not applicable
Flammability	
Solid/liquid:	not applicable
Gas:	not applicable

Test method

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge Syprem SX Art. 599026

Revision date: 01.01.2023

Product code: 599026

Page 5 of 9

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	225 °C ASTM D 92
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	not applicable DIN 51369
Viscosity / kinematic: (at 20 °C)	not applicable ASTM D 7042
Water solubility:	No
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	< 0,1 hPa
Vapour pressure:	not determined
Density (at 20 °C):	0,84 g/cm ³ EN ISO 12185
Relative vapour density:	not determined

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

not explosive.

Self-ignition temperature

Solid:

not determined

Gas:

not determined

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Pour point:

not determined

Viscosity / dynamic:

15 - 220 mPa·s

(at 40 °C)

Further Information

No information available.

SECTION 10: Stability and reactivity**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

10.4. Conditions to avoid

Protect from direct sunlight. Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge Syprem SX Art. 599026

Revision date: 01.01.2023

Product code: 599026

Page 6 of 9

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene					
	oral	LD50 mg/kg	5000	Rat	ECHA	OECD 401
	dermal	LD50 mg/kg	2000	Rat	ECHA	

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene					
	Acute fish toxicity	LC50 mg/l	> 71	96 h Fish	OECD 203	
	Acute algae toxicity	ErC50 mg/l	> 100	Algae	OECD 201	
	Acute crustacea toxicity	EC50	51 mg/l	48 h Daphnia	OECD 202	
	Acute bacteria toxicity	(EC50 mg/l)	> 100	Bacteria	OECD 209	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge Syprem SX Art. 599026

Revision date: 01.01.2023

Product code: 599026

Page 7 of 9

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

List of Wastes Code - used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge Syprem SX Art. 599026

Revision date: 01.01.2023

Product code: 599026

Page 8 of 9

Changes

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

Abbreviations and acronyms

Acute Tox.: Akute Toxizität

Aquatic Chronic: Langfristig (chronisch) gewässergefährdend

Asp. Tox.: Aspirationsgefahr

Repr.: Reproduktionstoxizität

Skin Corr.: Ätzwirkung auf die Haut

Skin Sens.: Sensibilisierung durch Hautkontakt

Legende zu Abkürzungen in diesem Sicherheitsdatenblatt:

Die in diesem Dokument verwendeten Standard-Abkürzungen und -Akronyme können in einschlägiger Referenzliteratur (z. B. wissenschaftlichen Wörterbüchern) bzw. auf Webseiten nachgeschlagen werden.

ACGIH = Amerikanische Konferenz der staatlich-industriellen Hygieniker

ADR = Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße

AICS = Australisches Verzeichnis chemischer Substanzen

ASTM = Amerikanische Gesellschaft für Werkstoffprüfung

BEL = Biologische Expositionsgrenze

BTEX = Benzol, Toluol, Ethylbenzol, Xylole

CAS = Chemical Abstracts Service

CEFIC = Wirtschaftsverband der europäischen chemischen Industrie

CLP = Einstufung, Verpackung und Kennzeichnung

COC = Flammpunktprüfer nach Cleveland

DIN = Deutsches Institut für Normung

DMEL = Abgeleitetes Minimal-Effekt Niveau

DNEL = Expositionskonzentration ohne Auswirkungen

DSL = Kanadisches Verzeichnis inländischer Substanzen

EC = Europäische Kommission

EC50 = Effektive Konzentration 50

ECHA = Europäische Chemikalien Agentur

EINECS = Europäisches Altstoffverzeichnis

EL50 = Effektives Niveau 50

ENCS = Japanisches Verzeichnis bestehender und neuer Chemikalien

EWC = Europäischer Abfall-Code

GHS = Global Harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien

IARC = Internationales Krebsforschungszentrum

IATA = Internationale Flug-Transport-Vereinigung

IC50 = Hemmkonzentration 50

IL50 = Hemmniveau 50

IMDG = Internationale Maritime Gefahrgüter

INV = Chinesisches Chemikalien-Verzeichnis

IP346 = "Institute of Petroleum" (IP) Testmethode Nr. 346 zur Bestimmung von polyzyklischen Aromaten

DMSO-extrahierbar

KECI = Koreanisches Verzeichnis bestehender Chemikalien

LC50 = Letale Konzentration 50

LD50 = Letale Dosis 50

LL/EL/IL = Letale Belastung / Expositionsgrenze / Inhibitions-grenze

LL50 = Letales Niveau 50

MARPOL = Übereinkommen zur Verhütung der Meeres-Verschmutzung durch Schiffe

NOEC/NOEL = Höchste Dosis oder Expositionskonzentration einer Substanz ohne beobachtete Auswirkungen

OE_HP V = Occupational Exposure – High Production Volume (Berufliche Exposition – hohes Produktionsvolumen)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Boge Syprem SX Art. 599026

Revision date: 01.01.2023

Product code: 599026

Page 9 of 9

PBT = Persistent, bioakkumulierbar, toxisch
PICCS = Philippinisches Verzeichnis von Chemikalien und chemischen Substanzen
PNEC = Abgeschätzte Nicht-Effekt Konzentration
REACH = Registrierung, Bewertung, Zulassung und Beschränkung von Chemikalien
RID = Regulations Relating to International Carriage of Dangerous Goods by Rail (Regelung zur internationalen Beförderung gefährlicher Güter im Schienenverkehr)
SKIN_DES = Skin Designation (Kennzeichnung, dass Hautabsorption vermieden werden soll)
STEL = Kurzzeit Expositionsgrenze
TRA = Gezielte Risiko-Bewertung
TSCA = US-Amerikanisches Gesetz zur Chemikalienkontrolle
TWA = Zeitgewichteter Durchschnitt
vPvB = Sehr persistent und sehr bioakkumulierbar

Relevant H and EUH statements (number and full text)

H412 Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)